Brain Research, 438 (1988) 408–410
Elsevier

Author Index

Ademe, R.M., see Gonzalez-Brito, A., 108
Alföldi, P., see Kapás, L., 155
Anderton, B.H., see Langui, D., 67
Andrews, P.L.R., see Hawthorn, J., 193
Ang, V.T.Y., see Hawthorn, J., 193

Basile, A.S., see Bolger, G.T., 101
Bauce, L., see Franklin, L., 295
Belczynski, C.R., see Pertovaara, A., 286
Beresford, H.R., see Rettig, W.J., 315
Berrebi, A.S., Fitch, R.H., Ralphe, D.L., Denenberg, J.O., Friedrich Jr., V.L. and Denenberg, V.H., Corpus callosum: region-specific effects of sex, early experience and age, 216
Bolger, G.T., Lesieur, P., Basile, A.S. and Skolnick, P., Modulation of neurotransmitter metabolism by dihydropyridine calcium channel ligands in mouse brain, 101
Bonhaus, D.W. and McNamara, J.O., Anticonvulsant action of intranigral γ-vinyl-GABA: role of noradrenergic neurotransmission, 391
Bos, N.P.A., see Ter Maat, A., 77
Brion, J.-P., see Langui, D., 67
Buchanan, J.T. and Grillner, S., A new class of small inhibitory interneurones in the lamprey spinal cord, 404
Burke, R.E., see Lev-Tov, A., 328

Carpenter, D.O., see Oyama, Y., 95
Carstens, E., see Culhane, E.S., 137
Casey, K.L., see Pertovaara, A., 286
Casullo, J., see Krnjević, K., 182
Chan, C.W.Y., see Rogers, M.W., 271
Chang, J.-Y., Owman, C. and Steinbusch, H.W.M., Evidence for coexistence of serotonin and noradrenaline in sympathetic nerves supplying brain vessels of guinea pig, 237
Chesa, P.G., see Rettig, W.J., 315
Cook, L., see Tilson, H.A., 83
Culhane, E.S. and Carstens, E., Medial hypothalamic stimulation suppresses nociceptive spinal dorsal horn neurons but not the tail-flick reflex in the rat, 137

DeLanney, L.E., see Ricaurte, G.A., 395
Denenberg, J.O., see Berrebi, A.S., 216
Denenberg, V.H., see Berrebi, A.S., 216
Devauges, V., see Sara, S.J., 299
Di Giamberardino, L., see Macioce, P., 291
Dong, W.-Q., see Schurr, A., 311

Finnegan, K.T., see Ricaurte, G.A., 395
Fitch, R.H., see Berrebi, A.S., 216
Franklin, L., Bauce, L. and Pittman, Q.J., Depletion of central catecholamines reduces pressor responses to arginine vasopressin, 295
Friedrich Jr., V.L., see Berrebi, A.S., 216

Gabbott, P.L.A., Somogyi, J., Stewart, M.G. and Hamori, J., The orientation of interneurones in the dorsal lateral geniculate nucleus of the rat: a quantitative study, 379
Gallagher, J.P., see Hasuo, H., 323
Gauthier, P. and Rasminsky, M., Activity of medullary respiratory neurons regenerating axons into peripheral nerve grafts in the adult rat, 225
Geraerts, W.P.M., see Ter Maat, A., 77
Gillette, R., see McCrohan, C.R., 115
Gómez-Pinilla, F., Knauer, D.J. and Nieto-Sampedro, M., Epidermal growth factor receptor immunoreactivity in rat brain. Development and cellular localization, 385
Gonzalez, M.F., see Sharp, J.W., 357
Gonzalez-Brito, A., Jones, D.J., Ademe, R.M. and Reiter, R.J., Characterization and measurement of [^{125}I]iodopindolol binding in individual rat pineal glands: existence of a 24-h rhythm in β-adrenergic receptor density, 108
Gooley, S.G., see Keating, E.G., 247
Gratton, A. and Wise, R.A., Comparisons of connectivity and conduction velocities for medial forebrain bundle fibers subserving stimulation-induced feeding and brain stimulation reward, 264
Gratton, A. and Wise, R.A., Comparisons of refractory periods for medial forebrain bundle fibers subserving stimulation-induced feeding and brain stimulation reward: a psychophysical study, 256
Greenstein, Y.J., Pavlides, C. and Winson, J., Long-term potentiation in the dentate gyrus is preferentially induced at theta rhythm periodicity, 331
Greer, M.A., see Murakami, M., 366
Greer, S.E., see Murakami, M., 366
Grillner, S., see Buchanan, J.T., 404
Guyenet, P.G., see Sun, M.-K., 23

Hackett, J.T., see Sun, M.-K., 23
Hamori, J., see Gabbott, P.L.A., 379
Hässig, R., see Macioce, P., 291
Hasuo, H., Gallagher, J.P. and Shinnick-Gallagher, P., Disinhibition in the rat septum mediated by M_1 muscarinic receptors, 323
Hawthorn, J., Andrews, P.L.R., Ang, V.T.Y. and Jenkins, J.S., Differential release of vasopressin and oxytocin in response to abdominal vagal efferent stimulation or apomorphine in the ferret, 193
Heavens, R.P., see Sirinathsinghji, D.J.S., 399
Hirabayashi, Y., see Kato, T., 277
Hjulstad, S., see Murakami, M., 366

Ikeda, H., see Robbins, J., 52
Irwin, I., see Ricaurte, G.A., 395
Ito, J., see Kato, T., 277
Itoi, M., see Mizobe, K., 307

Jansen, R.F., see Ter Maat, A., 77
Jenkins, J.S., see Hawthorn, J., 193
Jirmanová, I., see Zelená, J., 165
Jones, D.J., see Gonzalez-Brito, A., 108

Kaihara, T., see Mizobe, K., 307
Kani, K., see Sakai, M., 335
Kapás, L., Obál Jr., F., Alföldi, P., Rubicsek, G., Penke, B.

and Obál, F., Effects of nocturnal intraperitoneal administration of cholecystokinin in rats: simultaneous increase in sleep, increase in EEG slow-wave activity, reduction of motor activity, suppression of eating, and decrease in brain temperature, 155
Karasawa, N., see Sakai, M., 335
Kato, K., see Kato, T., 277
Kato, T., Ito, J., Tanaka, R., Suzuki, Y., Hirabayashi, Y., Matsumoto, M., Ogura, H. and Kato, K., Sialosyl cholesterol induces morphological and biochemical differentiations of glioblasts without intracellular cyclic AMP level rise, 277
Keating, E.G. and Gooley, S.G., Saccidic disorders caused by cooling the superior colliculus or the frontal eye field, or from combined lesions of both structures, 247
King, W.M., see Oyama, Y., 95
Knauer, D.J., see Gómez-Pinilla, F., 385
Krnjević, K., Ropert, N. and Casullo, J., Septohippocampal disinhibition, 182
Kuba, K., see Nohmi, M., 175
Kudo, Y., see Nohmi, M., 175

Langston, J.W., see Ricaurte, G.A., 395
Langui, D., Anderton, B.H., Brion, J.-P. and Ulrich, J., Effects of aluminium chloride on cultured cells from rat brain hemispheres, 67
Lesieur, P., see Bolger, G.T., 101
Lev-Tov, A., Meyers, D.E.R. and Burke, R.E., Modification of primary afferent depolarization in cat group Ia afferents following high frequency intra-axonal tetanization of individual afferents, 328
Liebeskind, J.C., see Yirmiya, R., 339
Lieblich, I., see Yirmiya, R., 339

Macioce, P., Hässig, R., Tavitian, B. and Di Giamberardino, L., Axonal transport of the molecular forms of acetylcholinesterase in rats at the onset of diabetes induced by streptozotocin, 291
Matsumoto, M., see Kato, T., 277
McCrohan, C.R. and Gillette, R., Cyclic AMP-stimulated sodium current in identified feeding neurons of *Lymnaea stagnalis*, 115
McLamb, R.L., see Tilson, H.A., 83
McNamara, J.O., see Bonhaus, D.W., 391
Melamed, M.R., see Rettig, W.J., 315
Meyers, D.E.R., see Lev-Tov, A., 328
Mizobe, K., Itoi, M., Kaihara, T. and Toyama, K., Neuronal responsiveness in area 21a of the cat, 307
Moore, R.Y., see Shibata, S., 374
Morrow, T.J., see Pertovaara, A., 286
Morton, M.T., see Sharp, J.W., 357
Moska, J.R., see Zatz, M., 199
Mullen, D.A., see Zatz, M., 199
Murakami, M., Greer, M.A., Hjulstad, S., Greer, S.E. and Tanaka, K., The role of the superior cervical ganglia in the nocturnal rise of pineal type-II thyroxine 5′-deiodinase activity, 366

Nagatsu, I., see Sakai, M., 335
Neal, J.W., Pearson, R.C.A. and Powell, T.P.S., The cortico-cortical connections within the parieto-temporal lobe of area PG,7a, in the monkey, 343
Neal, J.W., Pearson, R.C.A. and Powell, T.P.S., The organization of the cortico-cortical connections between the walls of the *lower* part of the superior temporal sulcus and the inferior parietal lobule in the monkey, 351
Nieto-Sampedro, M., see Gómez-Pinilla, F., 385
Nohmi, M., Kuba, K., Ogura, A. and Kudo, Y., Measurement of intracellular Ca^{2+} in the bullfrog sympathetic ganglion cells using fura-2 fluorescence, 175

Obál, F., see Kapás, L., 155
Obál Jr., F., see Kapás, L., 155
Ogura, A., see Nohmi, M., 175
Ogura, H., see Kato, T., 277
Old, L.J., see Rettig, W.J., 315
Osmanović, S.S. and Shefner, S.A., Baclofen increases the potassium conductance of rat locus coeruleus neurons recorded in brain slices, 124
Owman, C., see Chang, J.-Y., 237
Oyama, Y., King, W.M. and Carpenter, D.O., Edrophonium-induced inward membrane current in single neurons physically isolated from *Aplysia californica*, 95

Pavlides, C., see Greenstein, Y.J., 331
Pearson, R.C.A., see Neal, J.W., 343
Pearson, R.C.A., see Neal, J.W., 351
Pediaditakis, P., see Tilson, H.A., 83
Penke, B., see Kapás, L., 155
Pertovaara, A., Belczynski, C.R., Morrow, T.J. and Casey, K.L., The effect of systemic cocaine on spinal nociceptive reflex activity in the rat, 286
Pittman, Q.J., see Franklin, L., 295
Powell, T.P.S., see Neal, J.W., 343
Powell, T.P.S., see Neal, J.W., 351

Ralphe, D.L., see Berrebi, A.S., 216
Rasminsky, M., see Gauthier, P., 225
Regan, D. and Regan, M.P., The transducer characteristic of hair cells in the human ear: a possible objective measure, 363
Regan, M.P., see Regan, D., 363
Reid, K.H., see Schurr, A., 311
Reiter, R.J., see Gonzalez-Brito, A., 108
Rettig, W.J., Chesa, P.G., Beresford, H.R., Melamed, M.R. and Old, L.J., Definition of an extracellular matrix protein in rostral portions of the human central nervous system, 315
Ricaurte, G.A., DeLanney, L.E., Finnegan, K.T., Irwin, I. and Langston, J.W., The dopamine-depleting effect of 6-hydroxydopamine does not increase with aging, 395
Rigor, B.M., see Schurr, A., 311
Robbins, J., Wakakuwa, K. and Ikeda, H., Noradrenaline action on cat retinal ganglion cells is mediated by dopamine (D_2) receptors, 52
Rogers, B.C., see Tilson, H.A., 83
Rogers, M.W. and Chan, C.W.Y., Motor planning is impaired in Parkinson's disease, 271
Ropert, N., see Krnjević, K., 182
Rosenberg, H.C., see Tietz, E.I., 41
Rubicsek, H.C., see Kapás, L., 155

Sakai, M., Kani, K., Karasawa, N., Yoshida, M. and Nagatsu, I., Carnosine-like immunoreactivity in the olfactory bulb of the rat: an electron microscopic study, 335
Sara, S.J. and Devauges, V., Priming stimulation of locus coeruleus facilitates memory retrieval in the rat, 299
Schurr, A., Dong, W.-Q., Reid, K.H., West, C.A. and Rigor, B.M., Lactic acidosis and recovery of neuronal function following cerebral hypoxia in vitro, 311
Sharp, F.R., see Sharp, J.W., 357

Sharp, J.W., Gonzalez, M.F., Morton, M.T., Simon, R.P. and Sharp, F.R., Decreases of cortical and thalamic glucose metabolism produced by parietal cortex stimulation in the rat, 357
Shaw, S., see Tilson, H.A., 83
Shefner, A.A., see Osmanović, S.S., 124
Shibata, S. and Moore, R.Y., Electrical and metabolic activity of suprachiasmatic nucleus neurons in hamster hypothalamic slices, 374
Shinnick-Gallagher, P., see Hasuo, H., 323
Sikdar, S.K., see Sirinathsinghji, D.J.S., 399
Simon, R.P., see Sharp, J.W., 357
Sirinathsinghji, D.J.S., Heavens, R.P. and Sikdar, S.K., In vivo studies on the dopamine re-uptake mechanism in the striatum of the rat: effects of benztropine, sodium and ouabain, 399
Skolnick, P., see Bolger, G.T., 101
Somogyi, J., see Gabbott, P.L.A., 379
Stein, E.A., see Trusk, T.C., 61
Steinbusch, H.W.M., see Chang, J.-Y., 237
Stewart, M.G., see Gabbott, P.L.A., 379
Stirpe, F., see Wiley, R.G., 145
Sun, M.-K., Hackett, J.T. and Guyenet, P.G., Sympathoexcitatory neurons of rostral ventrolateral medulla exhibit pacemaker properties in the presence of a glutamate-receptor agonist, 23
Suzuki, Y., see Kato, T., 277

Tanaka, K., see Murakami, M., 366
Tanaka, R., see Kato, T., 277
Tavitian, B., see Macioce, P., 291
Ter Maat, A., Geraerts, W.P.M., Jansen, R.F. and Bos, N.P.A., Chemically mediated positive feedback generates long-lasting afterdischarge in a molluscan neuroendocrine system, 77
Tietz, E.I. and Rosenberg, H.C., Behavioral measurement of benzodiazepine tolerance and GABAergic subsensitivity in the substantia nigra pars reticulata, 41
Tilson, H.A., McLamb, R.L., Shaw, S., Rogers, B.C., Pediaditakis, P. and Cook, L., Radial-arm maze deficits produced by colchicine administered into the area of the nucleus basalis are ameliorated by cholinergic agents, 83
Toyama, K., see Mizobe, K., 307
Trusk, T.C. and Stein, E.A., Effects of heroin and cocaine on brain activity in rats using [1-^{14}C]octanoate as a fast functional tracer, 61

Ulrich, J., see Langui, D., 67

Vaney, D.I. and Young, H.M., GABA-like immunoreactivity in cholinergic amacrine cells of the rabbit retina, 369
Vautrin, J., Classes of unitary evoked responses at the vertebrate neuromuscular junction, 304

Wahl, M., see Whalley, E.T., 1
Wakakuwa, K., see Robbins, J., 52
Waraczynski, M.A., Basal forebrain knife cuts and medial forebrain bundle self-stimulation, 8
West, C.A., see Schurr, A., 311
Whalley, E.T. and Wahl, M., cerebrovascular reactivity to angiotensin and angiotensin-converting enzyme activity in cerebrospinal fluid, 1
Wiley, R.G. and Stirpe, F., Modeccin and volkensin but not abrin are effective suicide transport agents in rat CNS, 145
Winson, J., see Greenstein, Y.J., 331
Wise, R.A., see Gratton, A., 256
Wise, R.A., see Gratton, A., 264

Yirmiya, R., Lieblich, I. and Liebeskind, J.C., Reduced saccharin preference in CXBK (opioid receptor-deficient) mice, 339
Yoshida, M., see Sakai, M., 335
Young, H.M., see Vaney, D.I., 369

Zatz, M., Mullen, D.A. and Moska, J.R., Photoendocrine transduction in cultured chick pineal cells: effects of light, dark, and potassium on the melatonin rhythm, 199
Zelená, J. and Jirmanová, I., Grafts of Pacinian corpuscles reinnervated by dorsal root axons, 165